

PolyScience **SAFETY DATA SHEET**

Section 1: Identification

Product Name: Polycool Mix-25 Product Code:H005415 MANUFACTURER: Haviland Products Company 421 Ann Street NW Grand Rapids, MI 49504 (616) 361-6691		5 SAFETY DATA SHEET Part # 004-300060		
Emergency Phone CHEMTREC (800) 424-9300 CHEMTREC International (703) 527-3887		DISTRIBUTOR: PolyScience		
Product Use: NA Not recommended for: NA		6600 W. Touhy Ave. Niles, IL 60714 (847) 647-0611		
Section 2: Hazard(s) Identification				
GHS Ratings:				
Eye corrosive	2B	Mild eye irritant: Subcategory 2B, Reversible in 7 days		
Organ toxin single exposure	2	Presumed to be harmful to human health- Animal studies with significant toxic effects relevant to humans at generally moderate exposure (guidance) - Human evidence in exceptional cases		
Organ toxin repeated exposure	2	Presumed to be harmful to human health- Animal studies with significant toxic effects relevant to humans at generally		

GHS Hazards

H320	Causes eye irritation
H371	May cause damage to organs
H373	May cause damage to organs
	through prolonged or repeated
	exposure

GHS Precautions

exceptional cases

moderate exposure (guidance)- Human evidence in

P260	Do not breathe
P264	dust/fume/gas/mist/vapors/spray Wash face, hands, and any exposed skin thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P314	Get Medical advice/attention if you feel unwell
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P309+P311	IF exposed or you feel unwell: Call a POISON CENTER or doctor/physician
P337+P313	If eye irritation persists get medical advice/attention
P405	Store locked up

Warning



Section 3: Composition/Information on Ingredients			
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Ethylene glycol 107-21-1		100 mg/m3 Ceiling (aerosol only)	
40 to 50%			

P501

Section 4: First-aid Measures	
Inholation	

Inhalation

Rescuers should put on appropriate protective gear. Remove from area of exposure. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep victim warm. Get immediate medical attention. To prevent aspiration, keep head below knees.

Eye Contact

Immediately flush eyes with water. Flush eyes with water for a minimum of 15 minutes, occasionally lifting and lowering upper lids. Get medical attention promptly.

Skin Contact

Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash clothing separately and clean shoes before reuse.

Ingestion

If swallowed, do NOT induce vomiting. Give victim a glass of water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

Section 5: Fire-fighting Measures

Flash Point: 111 C (232 F)

Extinguishing Media

Carbon Dioxide, Dry Chemical, Foam

Specific Hazards Arising from the Chemical

Empty containers retain product residue (liquid and/or vapor) and can be dangerous.

DO NOT pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. Also, do not reuse container without commercial cleaning or reconditioning. Closed container may explode under extreme heat.

Special Protective Equipment and Precautions for Firefighters

Special Information: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

Section 6: Accidental Release Measures

Spill and Leak Procedures

Wear appropriate personal protective equipment. (See Exposure Controls / Personal Protection Section.)Eliminate all ignition sources. Prevent additional discharge of material if able to do so safely. Do not touch or walk through spilled material. Avoid runoff into storm sewers and ditches which lead to waterways.Ventilate spill area. Stay upwind of spill. A vapor supressing foam may be used to reduce vapors. Collect spilled materials for disposal. Use only non-combustible material for clean-up. Use clean, non-sparking tools to collect absorbed materials. Remove from surface by skimming or with suitable absorbents. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

Section 7: Handling and Storage

Handling Procedures

Use with adequate ventilation. Avoid breathing dusts, mists, and vapors. Do not get in eyes, on skin, or on clothing. Wear eye protection and protective clothing. Wash thoroughly after handling.

Storage Requirements

Keep away from heat, sparks, and flame. Store containers in a cool, well ventilated place. Keep container closed when not in use. Protect from direct sunlight.

Section 8: Exposure Control/Personal Protection			
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Ethylene glycol		100 mg/m3 Ceiling (aerosol	
107-21-1		only)	

ENGINEERING CONTROLS: Provide ventilation sufficient to maintain exposure below the recommended limits.

RESPIRATORY PROTECTION: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant the use of a respirator.

SKIN PROTECTION: Wear impervious protective gloves. Wear protective gear as needed - apron, suit, boots.

EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield.

OTHER PROTECTIVE EQUIPMENT: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

HYGENIC PRACTICES: Do not eat, drink, or smoke in areas where this material is used. Avoid breathing vapors. Remove contaminated clothing and wash before reuse. Wash thoroughly after handling. Wash hands before eating

Section 9: Physical and Chemical Properties

Appearance: Clear light yellow to water white liquid	Odor: Unknown
Vapor Pressure: Unknown	Odor threshold: Unknown
Vapor Density: Unknown	pH: 6.5-8.5
Density: Unknown	Melting point: Unknown
Freezing point: Unknown	Solubility: Complete
Boiling range: Unknown	Flash point: Unknown
Evaporation rate: Unknown	Flammability: Unknown
Explosive Limits: Unknown	Specific Gravity 1.07
Autoignition temperature: Unknown	Decomposition temperature: Unknown
Viscosity: Unknown	Grams VOC less water: Unknown

Section 10: Stability and Reactivity

Chemical Stability:

STABLE

Incompatible Materials

Prevent contact with strong oxidizing agents. Keep away from strong bases. Keep away from acids. Avoid contact with permanganates, peroxides, dichromates, reactive sodium compounds, sulfur compounds and nitrates.

Conditions to Avoid

Avoid impact, friction, heat, sparks, flame and source of ignition.

Hazardous Decomposition Products

combustion carbon monoxide may be formed. During combustion carbon dioxide may be formed. **Hazardous Polymerization**

Hazardous polymerization will not occur.

Section 11: Toxicology Information

Mixture Toxicity Component Toxicity

Routes of Entry Inhalation Ingestion Skin contact Eye contact	y:				
Target Organs					
Eyes	Central Nervous System	Skin	Respiratory System	m	
Effects of Over	rexposure				
this product is a pot Significant exposure	DS: May cause target organ damage. Over tential hazard to the fetus . May cause liver e to this chemical may adversely affect peo tem, kidney, liver, skin, and/or eyes .	disorder (e.g., ede	ema, proteinuria) and damage	2.	
CAS Numb	ber <u>Description</u>		<u>% Weight</u>	Carcinogen Rating	
Section 12: Ecolog	gical Information]
Section 13: Dispos	sal Considerations]
Dispose of in ac	ccordance with local, state and fed	eral regulation	S.		
Section 14: Trans	portation Information]
Non-Regulated.					

Section 15: Regulatory Information

TSCA Status: All chemical substances found in this product comply with the Toxic Substances Control Act inventory reporting requirements.

California Prop. 65 Information:



WARNING: This product can expose you to chemicals, including ethylene glycol, which is known to the State of California to cause birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Date Prepared: 2/18/2020

Disclaimer

The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures . Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.